

WINDMASTER™

Wind Driven Roof Ventilator

An efficient solution for exhausting heat and moisture from the roof space without using electrical energy

- Suitable for both metal and tile roofs
- Constructed from light-weight aluminium
- 15 year warranty
- Australian made & tested to AS/NZS 4740

Available in a range of 24 colours



WINDMASTER™ BAL



Wind Driven Roof Ventilator

A BAL40 rated, ventilator designed for exhausting heat and moisture from the roof space without using electrical energy

- Designed for use in bushfire rated regions, from BAL12.5 up to BAL40
- Suitable for both metal and tile roofs
- Full metal, non-combustible construction
- 15 year warranty

Available in a range of 24 colours

SUPAVENT™

Wind Driven Roof Ventilator

Ideal for use near coastal regions. Designed to exhaust heat and moisture from the roof space without using electrical energy

- Suitable for both metal and tile roofs
- Stainless steel bearings to suit coastal regions
- Constructed with light-weight polymer
- 15 year warranty

Available in a range of 14 colours



TURBOBEAM™



Wind Driven Roof Ventilator

Designed to exhaust heat and moisture, and provide natural light to the roof space and storage areas.

- Suitable for both metal and tile roofs
- Ideal for small spaces like garages and sheds
- High impact acrylic turbine head
- Polymer and aluminium construction
- 15 year warranty

ROOF VALVE

Static Roof Ventilator

A static roof ventilator that allows nominal ventilation of hot or moist air from the roof space

- Suitable for both metal and tile roofs
- Designed for wet areas of the home (bathroom, kitchen and laundry)
- Low profile ASA polymer head (available with a clear dome)
- Powdered coated soft aluminium flashing
- 7 year warranty

Available in Clear or Black



ROOF VALVE BAL



Static Roof Ventilator

A BAL rated static roof ventilator that allows nominal ventilation of hot or moist air from the roof space

- Suitable for both metal and tile roofs
- Designed for wet areas of the home (bathroom, kitchen and laundry)
- BAL rated for homes in bushfire zones from BAL12.5 to BAL40
- Low profile aluminium head
- Powdered coated soft aluminium flashing

Available in Night Sky